



Made in Germany since 1925

# 8.

## Sinks

Stainless Steel Sinks by Rieber  
– For Maximum Hygiene and Efficiency

Made from durable chrome-nickel steel, Rieber sinks offer exceptional longevity and easy cleaning. They are ideal for professional use in the foodservice industry and large-scale kitchens, and their modular design allows them to fit seamlessly into any working environment.

With a wide range of sizes and models – from single to specialized sinks – and well-designed drainage systems as well as accessory solutions such as drip trays and integrated sludge traps, they ensure the highest hygiene standards and efficient kitchen organization. Their corrosion resistance makes them perfect for intensive daily use.

# Commercial kitchen Sinks

Program Overview



## waterstation® GN-professional - versions

Professional Gastronorm sink cover for use with GN containers/cutting boards for multifunctional & practical washing, rinsing, preparation. In different versions: right/left with a 1/1 and/or with a 2/1 basin and correspondingly left/right with drainer.



**For precise use with GN containers and sieves, for multifunctional & practical washing, rinsing, preparation**



## Handwash sink Combinations versions

Sturdy & high-quality stainless steel washbasin, hygienically deep-drawn with large radii. Basin bottom with slope to the drain for complete emptying. With drain embossing 1 1/2". In wall/foot versions: with inspection panel, sensor fitting and single-lever mixer tap, with inspection panel and single-lever mixer tap.



## Hand basin versions

Sturdy & high-quality stainless steel washbasin, hygienically deep-drawn with large radii. Basin bottom with slope to the drain for complete emptying. With drain embossing 1 1/2". In different versions: for welding in with sieve valve embossing 1 1/2" in the middle, with/without bracket, with/without panelling, with panelling & knee switch, with panelling & sensor switch.



## Commercial kitchen sink versions - for welding in

Seamless deep-drawn basin with large radii. Bottom with slope to the outlet for complete emptying. Cylindrical/conical basin, silk matt or brushed inside, untreated outside. Valve embossing 1 1/2", 1 1/4" or 2", centre back, right/left/centre on short/long side, with/without overflow embossing. Approx. 20 mm wide rim all around the top for welding in.

# Digital HACCP documentation - safe & time-saving

Digital HACCP documentation with our CHECK HACCP system. Hygiene, cleaning & maintenance checklists via app, can be used anywhere. Paper & complete HACCP, can be viewed centrally in your dashboard in real time from anywhere.



**Checklists QR code - can be retrofitted at any time - Order No. 94 01 01 14**

## Sink with 1 basin

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.

## Sink with 1 basin and 1 drainer

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". One draining surface on the side. 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.

## Sink with 2 basins

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.

## Sink unit with 2 bowls & 1 or 2 Drainer(s)

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". One draining surface on the side. 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.



# waterstation®

## GN-professional - versions

Professional Gastronorm sink cover for use with GN containers/cutting boards for multifunctional & practical washing, rinsing, preparation. In different versions: right/left with a 1/1 and/or with a 2/1 basin and correspondingly left/right with drainer.



More info



Types	Dimensions mm	Basin size	Order no.
weld-in basins	310 x 511 x 240	1/1	<a href="#">82500301</a>
	634 x 511 x 210	2/1 (drain left)	<a href="#">82500303</a>
	634 x 511 x 210	2/1 (drain right)	<a href="#">82500302</a>
Types	Dimensions mm	Basin size	Order no.
Sink cover	1900 x 700 x 50	1/1 & 2/1 (sink right)	<a href="#">82500203</a>



# Handwash sink Combinations versions

Sturdy & high-quality stainless steel washbasin, hygienically deep-drawn with large radii. Basin bottom with slope to the drain for complete emptying. With drain embossing 1 1/2". In wall/foot versions: with inspection panel, sensor fitting and single-lever mixer tap, with inspection panel and single-lever mixer tap.



More info



Versions	Dimensions mm	Types	Order no.
with touchless fitting & single-lever mixer tap	500 x 680 x 900	Foot design	<a href="#">82110144</a>
	500 x 680 x 850	Foot design	<a href="#">82110138</a>
	500 x 680 x 750	Wall design	<a href="#">82110146</a>
	500 x 600 x 900	Foot design	<a href="#">82110154</a>
	500 x 600 x 850	Foot design	<a href="#">82110150</a>
	500 x 600 x 750	Wall design	<a href="#">82110158</a>
Versions	Dimensions mm	Types	Order no.
with single-lever mixer tap	500 x 680 x 900	Foot design	<a href="#">82110140</a>
	500 x 680 x 850	Foot design	<a href="#">82110142</a>
	500 x 680 x 750	Wall design	<a href="#">82110148</a>
	500 x 600 x 900	Foot design	<a href="#">82110156</a>
	500 x 600 x 850	Foot design	<a href="#">82110152</a>
	500 x 600 x 750	Wall design	<a href="#">82110160</a>
Versions	Dimensions mm	Types	Order no.
sink right	1100 x 600	To put on	<a href="#">82110301</a>
	1100 x 500	To put on	<a href="#">82110201</a>
Versions	Dimensions mm	Types	Order no.
sink left	1100 x 600	To put on	<a href="#">82110302</a>
	1100 x 500	To put on	<a href="#">82110202</a>

# Hand basin versions

Sturdy & high-quality stainless steel washbasin, hygienically deep-drawn with large radii. Basin bottom with slope to the drain for complete emptying. With drain embossing 1 1/2". In different versions: for welding in with sieve valve embossing 1 1/2" in the middle, with/without bracket, with/without panelling, with panelling & knee switch, with panelling & sensor switch.



More info



Versions	Dimensions mm	Order no.
for welding	345 x 245 x 120 500 x 300 x 150	<a href="#">82100101</a> <a href="#">82100102</a>
Versions	Dimensions mm	Order no.
with paneling & sensor switch	400 x 385 x 122 550 x 440 x 152	<a href="#">82100601</a> <a href="#">82100602</a>
Versions	Dimensions mm	Order no.
with paneling	400 x 385 x 122 550 x 440 x 152	<a href="#">82100401</a> <a href="#">82100402</a>
Versions	Dimensions mm	Order no.
without brackets	400 x 385 x 120 550 x 440 x 150	<a href="#">82100301</a> <a href="#">82100302</a>

Versions	Dimensions mm	Order no.
with brackets	400 x 385 x 120 550 x 440 x 150	<a href="#"><u>82100201</u></a> <a href="#"><u>82100202</u></a>

Versions	Dimensions mm	Order no.
Roundline with sieve embossing	488 x 460 x 340	<a href="#"><u>82350101</u></a>



## Commercial kitchen sink versions - for welding in



Seamless deep-drawn basin with large radii. Bottom with slope to the outlet for complete emptying. Cylindrical/conical basin, silk matt or brushed inside, untreated outside. Valve embossing 1 1/2", 1 1/4" or 2", centre back, right/left/centre on short/long side, with/without overflow embossing. Approx. 20 mm wide rim all around the top for welding in.



**More info**

Types	Dimensions mm	Versions	Order no.
inside satin finish	240 x 340 x 150	Central valve hole	<a href="#">82120103</a>
	250 x 370 x 150	Central valve hole	<a href="#">82120301</a>
	300 x 500 x 300	Central valve hole	<a href="#">82122101</a>
	340 x 370 x 150	Valve hole on the left	<a href="#">82120502</a>
	340 x 370 x 150	Central valve hole	<a href="#">82120503</a>
	340 x 370 x 150	Valve hole on the right	<a href="#">82120501</a>
	370 x 370 x 150	Valve hole left or right	<a href="#">82120701</a>
	400 x 400 x 200	Valve hole left or right	<a href="#">82120801</a>
	400 x 400 x 250	Valve hole left or right	<a href="#">82120901</a>
	400 x 400 x 300	Valve hole left or right	<a href="#">82121001</a>
	450 x 450 x 250	Valve hole left or right	<a href="#">82121101</a>
	500 x 400 x 200	Valve hole on the left	<a href="#">82122202</a>
	500 x 400 x 200	Valve hole on the right	<a href="#">82122201</a>
	500 x 400 x 250	Valve hole on the left	<a href="#">82122402</a>
	500 x 400 x 250	Valve hole on the right	<a href="#">82122401</a>
	500 x 400 x 300	Valve hole on the right	<a href="#">82122601</a>
	500 x 400 x 300	Valve hole on the left	<a href="#">82122602</a>
	500 x 500 x 250	Valve hole left or right	<a href="#">82121201</a>
	500 x 500 x 300	Valve hole left or right	<a href="#">82121301</a>
	500 x 500 x 350	Valve hole left or right	<a href="#">82121401</a>





Types	Dimensions mm	Versions	Order no.
brushed inside (side walls)	200 x 400 x 170	Central valve hole	<a href="#">82121801</a>
	200 x 400 x 250	Central valve hole	<a href="#">82121901</a>
	200 x 400 x 300	Central valve hole	<a href="#">82122001</a>
	600 x 450 x 300	Valve hole on the right	<a href="#">82122801</a>
	600 x 450 x 300	Valve hole on the left	<a href="#">82122802</a>
	600 x 450 x 350	Valve hole on the right	<a href="#">82123001</a>
	600 x 450 x 350	Valve hole on the left	<a href="#">82123002</a>
	600 x 500 x 250	Valve hole on the right	<a href="#">82123205</a>
	600 x 500 x 250	Valve hole on the left	<a href="#">82123206</a>
	600 x 500 x 300	Valve hole on the left	<a href="#">82123202</a>
	600 x 500 x 300	Valve hole on the right	<a href="#">82123201</a>
	600 x 500 x 350	Valve hole on the left	<a href="#">82123402</a>
	600 x 500 x 350	Valve hole on the right	<a href="#">82123401</a>
	600 x 600 x 300	Valve hole left or right	<a href="#">82121501</a>
	600 x 600 x 350	Valve hole left or right	<a href="#">82121601</a>
	700 x 500 x 300	Valve hole on the right	<a href="#">82123601</a>
	700 x 500 x 300	Valve hole on the left	<a href="#">82123602</a>
	700 x 500 x 350	Valve hole on the right	<a href="#">82123801</a>
	700 x 500 x 350	Valve hole on the left	<a href="#">82123802</a>
	700 x 600 x 300	Valve hole on the right	<a href="#">82124001</a>
	700 x 600 x 300	Valve hole on the left	<a href="#">82124002</a>
	700 x 700 x 350	Valve hole left or right	<a href="#">82121701</a>

Types	Dimensions mm	Versions	Order no.
V4A	400 x 400 x 200	Valve hole left or right	<a href="#">82124201</a>
	400 x 400 x 250	Valve hole left or right	<a href="#">82124301</a>
	500 x 400 x 200	Valve hole on the right	<a href="#">82124601</a>
	500 x 400 x 200	Valve hole on the left	<a href="#">82124602</a>
	500 x 400 x 250	Valve hole on the right	<a href="#">82124701</a>
	500 x 400 x 250	Valve hole on the left	<a href="#">82124702</a>
	500 x 400 x 300	Valve hole on the right	<a href="#">82124801</a>
	500 x 400 x 300	Valve hole on the left	<a href="#">82124802</a>
	600 x 500 x 300	Valve hole on the right	<a href="#">82125001</a>
	600 x 500 x 300	Valve hole on the left	<a href="#">82125002</a>

# Sink with 1 basin

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.



More info

Dimensions mm	Basin size mm	Versions	Order no.
650 x 700 x 250	500 x 500 x 250	1 sink	<a href="#">82010201</a>

Dimensions mm	Basin size mm	Versions	Order no.
650 x 600 x 250	450 x 450 x 250	1 sink	<a href="#">82010101</a>

Dimensions mm	Basin size mm	Versions	Order no.
650 x 700 x 350	500 x 500 x 350	1 sink	<a href="#">82010301</a>

Dimensions mm	Basin size mm	Versions	Order no.
750 x 800 x 300	600 x 600 x 300	1 sink	<a href="#">82010401</a>

## Sink with 1 basin and 1 drainer

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". One draining surface on the side. 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.



More info

Dimensions mm	Basin size mm	Versions	Order no.
1400 x 700 x 250	500 x 500 x 250	sink left	<a href="#">82022001</a>
	500 x 500 x 250	sink right	<a href="#">82021901</a>

Dimensions mm	Basin size mm	Versions	Order no.
1200 x 700 x 250	500 x 500 x 250	sink left	<a href="#">82020601</a>
	500 x 500 x 250	sink right	<a href="#">82020501</a>

Dimensions mm	Basin size mm	Versions	Order no.
1200 x 600 x 350	600 x 450 x 350	sink left	<a href="#">82020401</a>
	600 x 450 x 350	sink right	<a href="#">82020301</a>

Dimensions mm	Basin size mm	Versions	Order no.
1200 x 600 x 250	500 x 400 x 250	sink left	<a href="#">82021001</a>
	500 x 400 x 250	sink right	<a href="#">82020901</a>

Dimensions mm	Basin size mm	Versions	Order no.
1000 x 600 x 250	400 x 400 x 250 400 x 400 x 250	sink left sink right	<a href="#">82020201</a> <a href="#">82020101</a>





## Sink with 2 basins

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.



[More info](#)

Dimensions mm	Basin size mm	Versions	Order no.
1400 x 700 x 300	600 x 500 x 300	2 sinks	<a href="#">82030501</a>

Dimensions mm	Basin size mm	Versions	Order no.
1200 x 700 x 250	500 x 500 x 250	2 sinks	<a href="#">82030301</a>

Dimensions mm	Basin size mm	Versions	Order no.
1200 x 600 x 250	500 x 400 x 250	2 sinks	<a href="#">82030201</a>

Dimensions mm	Basin size mm	Versions	Order no.
1000 x 600 x 250	400 x 400 x 250	2 sinks	<a href="#">82030101</a>

## Sink unit with 2 bowls & 1 or 2 Drainer(s)

Seamless deep-drawn basin with large radii, bottom with slope to the outlet for complete emptying. Cover with all-round cranking, silk matt or brushed on the inside, untreated on the outside. Valve embossing 2". One draining surface on the side. 3-sided cover, 50 mm bent down on the sides and 50 mm bent up at the back.



More info

Dimensions mm	Basin size mm	Versions	Order no.
2600 x 700 x 250	500 x 500 x 250	2 sink & 2 drainer	<a href="#">82050101</a>
Dimensions mm	Basin size mm	Versions	Order no.
2100 x 700 x 350	700 x 500 x 350	sink left	<a href="#">82041001</a>
	700 x 500 x 350	sink right	<a href="#">82040901</a>
Dimensions mm	Basin size mm	Versions	Order no.
2400 x 800 x 300	600 x 600 x 300	sink left	<a href="#">82041401</a>
	600 x 600 x 300	sink right	<a href="#">82041301</a>
Dimensions mm	Basin size mm	Versions	Order no.
2000 x 700 x 350	600 x 500 x 350	sink left	<a href="#">82040801</a>
	600 x 500 x 350	sink right	<a href="#">82040701</a>

Dimensions mm	Basin size mm	Versions	Order no.
1900 x 700 x 250	500 x 500 x 250	sink left	<a href="#">82040601</a>
	500 x 500 x 250	sink right	<a href="#">82040501</a>

Dimensions mm	Basin size mm	Versions	Order no.
1800 x 600 x 250	500 x 400 x 250	sink left	<a href="#">82040201</a>
	500 x 400 x 250	sink right	<a href="#">82040101</a>

Dimensions mm	Basin size mm	Versions	Order no.
1600 x 700 x 250	400 x 500 x 250	sink left	<a href="#">82042402</a>
	400 x 500 x 250	sink right	<a href="#">82042401</a>



## Sinks accessories

Matching accessories for corresponding sink models - such as various standpipe valves, protective strainers, closing rods, fittings, folding grates, odour trap, strainer valve, drain connection and plug overflow valve.



More info

Types	Name	Order no.
Standpipe valve	Standpipe valve 1 1/2" 160mm	<a href="#">72100204</a>
	Stand pipe valve 2" - 150mm basin	<a href="#">82151114</a>
	Stand pipe valve 2" - 200mm basin	<a href="#">82151109</a>
	Stand pipe valve 2" - 350mm basin	<a href="#">82151103</a>
	Stand pipe valve 2" - 300mm basin	<a href="#">82151102</a>
	Stand pipe valve 2" - 250mm basin	<a href="#">82151101</a>
	Stand pipe valve 1 1/2" - 300mm basin	<a href="#">82151004</a>
	Stand pipe valve 1 1/2" - 250mm basin	<a href="#">82151003</a>
	Stand pipe valve 1 1/2" - 200mm basin	<a href="#">82151002</a>

Types	Name	Order no.
Closing rod	Rod 550mm	<a href="#">40012805</a>
	Locking rod L=455mm	<a href="#">40012804</a>
	Locking rod L=355mm	<a href="#">40012803</a>
	Locking rod compl. l=290 mm	<a href="#">40012802</a>

Types	Name	Order no.
Protective sieve	Strainer corner drain - bowl depth 300mm	<a href="#">82200105</a>
	Strainer corner drain - bowl depth 250mm	<a href="#">82200103</a>





Types	Name	Order no.
Fitting	Two handle pillar tap 3/4" 498mm	<a href="#">82150311</a>
	Two handle pillar tap 3/4" 356mm	<a href="#">82150310</a>
	Two handle pillar tap 3/4" 210mm	<a href="#">82150309</a>

Types	Name	Order no.
Odor trap	Odour trap 2" x 50mm plastic white	<a href="#">82150803</a>
	PLASTIC ODOUR TRAP 1 1/2"X 50 MM	<a href="#">72100301</a>

Types	Name	Order no.
Folding grate	Hinged grille 550x200mm - for sinks	<a href="#">82011002</a>
	Hinged grille 450x200mm - for sinks	<a href="#">82011001</a>



Types	Name	Order no.
Strainer valve	Sieve valve 1 1/2"x70x40mm	<a href="#">82151802</a>

Types	Name	Order no.
Drain connection	Drain connection 2"2 x 2" x 200mm	<a href="#">82151616</a>

Types	Name	Order no.
Plug overflow valve	PLUG-OVERFLOW VALVE 1 1/2" CHAIN 300	<a href="#">72100205</a>

Types	Name	Order no.
Lever valve	Lever valve 3 1/2" complete Lever overflow valve 3 1/2"	<a href="#">82150601</a> <a href="#">82150701</a>









